















K8s Cert Manager

- SSL/TLS
 - https
- LetsEncrypt
- Installation
- Cluster Issuer
- Ingress bind



K8s Cert Manager

- SSL/TLS
 - https
 - CA

 DigiCert	▼	 GeoTrust	GeoTrust	▼	 Comodo
 Thawte	▼	 GlobalSign	GlobalSign	▼	 GoDaddy
 Sectigo	▼	 SSL Corp	SSL Corp	▼	 Entrust
 Network Solutions	▼	 Symantec	Symantec	▼	 Basic SSL
 RapidSSL	▼	 AlphaSSL	AlphaSSL	▼	

K8s Cert Manager

- LetsEncrypt
 - ◆ Completely Free
 - ◆ need a FQDN
 - ◆ http challenge
- Certbot
 - ◆ linux tool set
 - get certs
 - for 90 days
 - renew



K8s Cert Manager

- Install steps for k8s

1. Install Cert-manager onto your cluster

```
kubectl apply -f https://github.com/cert-manager/cert-manager/releases/download/v1.1.1/cert-manager.yaml
```

```
$ kubectl get pods --namespace cert-manager
```

NAME	READY	STATUS	RESTARTS	AGE
cert-manager-5c6866597-zw7kh	1/1	Running	0	2m
cert-manager-cainjector-577f6d9fd7-tr77l	1/1	Running	0	2m
cert-manager-webhook-787858fcd-nlzsq	1/1	Running	0	2m

K8s Cert Manager

- Install steps for k8s
 2. Add LetsEncrypt as an Issuer (or ClusterIssuer)

```
kubectl apply -f clusterissuer.yaml
```

```
apiVersion: cert-manager.io/v1
kind: ClusterIssuer # I'm using ClusterIssuer here
metadata:
  name: letsencrypt-prod
spec:
  acme:
    server: https://acme-v02.api.letsencrypt.org/directory
    email: <your-email-address>
    privateKeySecretRef:
      name: letsencrypt-prod
    solvers:
    - http01:
        ingress:
          class: traefik
```

K8s Cert Manager

3. Update ingress to use certificate

```
apiVersion: networking.k8s.io/v1
kind: Ingress
metadata:
  labels:
    app: hello-world
  name:
  namespace: <namespace> # if non-default namespace
  annotations:
    cert-manager.io/cluster-issuer: letsencrypt-prod
spec:
  rules:
  - host: example.com # your domain
    http:
      paths:
      - backend:
          service:
            name: <your-service>
            port:
              number: 80 # use appropriate port
          path: /
          pathType: Prefix
    tls:
  - hosts:
    - example.com # your domain
      secretName: letsencrypt-prod # secret name, same as
```

```
$ kubectl -n <namespace> describe certificate letsencrypt-prod
Spec:
  Dns Names:
    example.com
  Issuer Ref:
    Group:      cert-manager.io
    Kind:      ClusterIssuer
    Name:      letsencrypt-prod
  Secret Name: letsencrypt-prod
  Usages:
    digital signature
    key encipherment
Status:
  Conditions:
    Last Transition Time: 2023-06-14T03:24:49Z
    Message:             Certificate is up to date and has not
    Observed Generation: 1
    Reason:              Ready
    Status:              True
    Type:                Ready
  Not After:            2023-09-12T02:10:00Z
  Not Before:           2023-06-14T02:10:01Z
  Renewal Time:         2023-08-13T02:10:00Z
Events:                 <none>
```